

API 5L PIPES EXPERT

sales@savoypipinginc.com

An ISO 9001 | ISO 14001 | OHSAS 18001 | PED-97/23/EC | EIL | IBR Certified and Approved Pipes Supplier



API 5L X52 PSL2 Welded Pipes, API 5L X52 PSL2 Welded Line Pipes, API 5L X52 PSL2 Carbon Steel Welded Pipes, API 5L X52 PSL2 SAW Pipes, API 5L X52 PSL2 LSAW Pipes, API 5L X52 PSL2 DSAW Pipes, API 5L X52 PSL2 HSAW Pipes.

Savoy Piping Inc Manufacturer and Fabricator of API 5L X52 PSL 2 Pipe, Premier Suppliers of Bulk API 5L X52 PSL 2 Pipe Welded / DSAW/ LSAW Stock Worldwide. Fast Delivery Guaranteed for every size API 5L X52 PSL 2 Pipe, Carbon Steel API 5L X52 PSL 2 Welded Pipe, Largest Range of API 5L X52 PSL 2 Pipe LSAW / DSAW Suppliers in India.

HOME
ABOUT US
PRODUCTS
SERVICES
STOCK
CONTACT

API 5L X52 PSL2 WELDED PIPES (LSAW / DSAW / HSAW)

Hot Rolled Carbon Steel Pipes as per American Petroleum Institute specification API 5L cover Seamless and Welded Line Pipes.

You are Here : [HOME](#) / [API 5L X52 PSL2 Welded LSAW / DSAW / HSAW Line Pipes](#) /

Savoy Piping Inc is World Renowned Supplier of API 5L X52 PSL2 Pipes, API 5L X52 PSL2 Welded Line Pipes. Among the Largest Stockist & Stockholder of API 5L

X52 PSL2 Line Pipes in India. Leading Exporter of API 5L X52 PSL2 Line Pipes in Integrated Partnership with Top API 5L X52 PSL2 Welded Line Pipes Manufacturers. Genuine Dealer of API 5L X52 PSL2 Welded SAW Line Pipes in USA, European and Japanese Origins. We are the Prominent Trusted Source for API 5L X52 PSL2 Welded Line Pipes to be used in World Class Projects. we are the Top EPC Contractor's First Choice for API 5L X52 PSL2 Welded Line Pipes with High Ready Stock Inventory above 20000 Metric Tons in LSAW / DSAW / HSAW.

API 5L WELDED PIPES - API 5L X52 PSL2 WELDED LINE PIPES (SAW PIPES)

Grades: B, X42, X46, X52, X56, X60, X65, X70, X80, L245, L290, L320, L360, L390, L415, L450, L480 PSL 1/2.

Savoy Piping Inc., we carry a full inventory of API 5L Pipes Carbon Steel Pipe products in a variety of sizes to meet the structural piping requirements for applications the water, petroleum, oil & gas and other industries. API 5L X52 PSL2 Welded Pipes Carbon Steel Pipe can be Structural in Nature or used in Fluid, Gas, Oil Transmission.

We Supply **API 5L Welded Line Pipes** in API 5L Grade B PSL 1 Welded Pipes, API 5L Grade B PSL 2 Welded Pipes, API 5L Grade X42 PSL 1 Welded Pipes, API 5L Grade X42 PSL 2 Welded Pipes, API 5L Grade X46 PSL 1 Welded Pipes, API 5L Grade X46 PSL 2 Welded Pipes, API 5L Grade X52 PSL 1 Welded Pipes, API 5L Grade X52 PSL 2 Welded Pipes, API 5L Grade X56 PSL 1 Welded Pipes, API 5L Grade X56 PSL 2 Welded Pipes, API 5L Grade X60 PSL 1 Welded Pipes, API 5L Grade X60 PSL 2 Welded Pipes, API 5L Grade X65 PSL 1 Welded Pipes, API 5L Grade X65 PSL 2 Welded Pipes, API 5L Grade X70 PSL 1 Welded Pipes, API 5L Grade X70 PSL 2 Welded Pipes .

The grade indicates the testing methods required for a given application. It is critical that structural grades of Carbon Steel Pipe not be used for Pressure or Fluid applications.

Savoy Piping Inc. specializes in API 5L X52 PSL2 Welded Line Pipes with years of Experience in Manufacturing API 5L X52 PSL2 Carbon Steel Welded Pipes, we offer high quality, lower cost but the best service. As a result to that our API 5L X52 PSL2 Welded LSAW Pipes export account today is in various countries like ***Iran, Iraq, Kuwait, Saudi Arabia, Oman, UAE, Singapore, Malaysia, Indonesia, South korea, Chile, Peru, Venezuela, Australia, Nigeria, Angola, Senegal, Mozambique, Algeria, Libya, Azerbaijan, Netherlands, Brazil, Norway, United Kingdom, Mexico, Canada etc.***

API 5L X52 PSL2 PIPES WELDED / LSAW / DSAW CERTIFIED AND TESTED IN ACCORDANCE WITH ISO 3183, ISO 15156, NACE MRO175 / 103, HIC, SWC, SSC, SSSC, SOUR SERVICE, H2S, IMPACT, POST WELD HEAT TREATMENT (PWHT), IBR, HIGH YIELD, IPS-M-PI-190 ETC.



SEAMLESS API 5L X52 PSL2 WELDED LINE PIPE FOR DEPENDABLE TRANSMISSION OF OIL AND GAS TO ANY TYPE OF COLLECTION AND DISTRIBUTION POINT

This [API 5L specification](#) Covers Seamless and Welded Steel Line Pipe. It includes standard-weight and Extra-Strong threaded Line Pipe. It includes standard-weight and extra-strong threaded line pipe; and standard-weight plain-end, regular-weight plain-end, special plain-end, extra-strong plain-end, special plain-end, extra-strong plain-end pipe; as as well as bell and spigot and through-the-flow line(TFL) pipe.

The purpose of this specification is to provide standards for pipe suitable for use in conveying gas, water, and oil in both the oil and natural gas industries

Grades covered by this specification are A25 ,A ,B (and the following "X" Grades), X42, X46, X52, X56, X60, X65, X70, X80. The two digit number following the "X" indicates the Minimum Yield Strength (in 000's psi) of pipe produced to this grade.

Savoy Piping Inc. Supply a full range of API 5L Welded Pipes in PSL-1 & PSL-2 line pipe.

OUR API 5L X52 PSL2 WELDED LINE PIPE RANGE

| | |
|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| API 5L X52 PSL2 Welded Pipe Specification | API 5L / ISO 3183 Hot Rolled. |
| API 5L X52 PSL2 Welded Pipe Grades | API 5L GRADE B PSL1, PSL 2 / API 5L X42 PSL1, PSL 2 / API 5L X46 PSL1, PSL 2 / API 5L X52 PSL1, PSL 2 / API 5L X56 PSL1, PSL 2 / API 5L X60 PSL1, PSL 2 / API 5L X65 PSL1, PSL 2 / X70 PSL1, PSL 2 / API 5L X70 PSL1 / PSL2 / API 5L X80 PSL1, PSL 2 / ISO 3183 L245 PSL1, PSL 2, ISO 3183 L290 PSL1, PSL 2, ISO 3183 L320 PSL1, PSL2, ISO 3183 L360 PSL1, PSL 2, ISO 3183 L390 PSL1, PSL 2, ISO 3183 L415 PSL1, PSL 2, ISO 3183 L450 PSL1, PSL 2, ISO 3183 L485 PSL1, PSL 2 |

| | |
|-------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| API 5L X52 PSL2 Welded Pipe Type | LSAW Pipes (Longitudinal Submerged Arc Welded Pipes) HSAW Pipes (Helical Submerged Arc Welded Pipes) DSAW Pipes (Double Submerged Arc Welded Pipes) HSAW Pipes (Helical Submerged Arc Welded Pipes) SSAW Pipes (Spiral Submerged Arc Welded Pipes) |
| API 5L X52 PSL2 Welded Pipe Outer Diameter Size | 12" NB To 150" NB (Nominal Bore Size) |
| API 5L X52 PSL2 Welded Pipe Wall Thickness | Schedule 20 To Schedule XXS (Heavier On Request) Up to 250 mm Thickness |
| API 5L X52 PSL2 Welded Pipe Length | 5 To 7 Meters, 09 To 13 Meters, Single Random Length, Double Random Length And Customize Size. |
| API 5L X52 PSL2 Welded Pipe Ends | Plain Ends / Beveled Ends / Coupling |
| API 5L X52 PSL2 Welded Pipe Delivery Conditions | As Rolled, Normalizing Rolled, Thermomechanical Rolled / Formed, Normalizing Formed, Normalized and Tempered / Quenched and Tempered - BR / N / Q /T |
| API 5L X52 PSL2 Welded Pipe Coating | Epoxy Coating / Colour Paint Coating / 3LPE Coating. |
| API 5L X52 PSL2 Welded Pipe Other Testing | NACE MR0175, NACE TM0177, NACE TM0284, HIC TEST, SSC TEST, SWC, H2 SERVICE, IBR, Etc. |
| API 5L X52 PSL2 Welded Pipe Dimension | All Pipes Is Manufactured and Inspected / Tested to the Relevant standards including ASTM, ASME, API. |
| API 5L X52 PSL2 Welded Pipe Value Added Services | Draw / Expansion / Machining / Sand Blasting / Shot Blasting / Galavanizing / Heat Treatment |
| API 5L X52 PSL2 Welded Pipe Packaging | Loose / Bundle / Wooden Pallet / Wooden Box / Plastic Cloth Wraps / Plastic End Caps / Beveled Protector |
| API 5L X52 PSL2 Welded Pipe Shipment & Transportation | By Road - Truck / Train, By Sea - Break-bulk Conventional Vessel / FCL (Full Container Load) / LCL (Less Container Load) / 20 Feet Container / 40 Feet |
| API 5L X52 PSL2 Welded Pipe Material Test Certificate | Manufacturer Test Certificate As Per EN10204 3.1, 3.2 / Laboratory Test Certificate From NABL Approved Lab./ Under Third Party Inspection Agency Like SGS, TUV, DNV, LLOYDS, ABS ETC |

API 5L X52 WELDED LINE PIPES PSL 1 CHEMICAL COMPOSITION

| | | | | | | | | |
|---------------|-----------------------------------------------------|------|-------|-------|-------|------|------|------|
| | Mass Fraction, based upon heat and product analyses | | | | | | | |
| Steel grade | C | Mn | P | | S | V | NB | Ti |
| (Steel name) | max | max. | min. | max. | max. | max. | max. | max. |
| L175 or A25 | 0.21 | 0.60 | | 0.030 | 0.030 | - | | |
| L175P or A25P | 0.21 | 0.60 | 0.045 | 0.800 | 0.030 | | | |
| L210 or A | 0.22 | 0.90 | - | 0.030 | 0.030 | - | - | - |
| L245 or B | 0.26 | 1.20 | | 0.030 | 0.030 | c,d | c,d | d |
| L290 or X42 | 0.26 | 1.30 | | 0.030 | 0.030 | d | d | d |

| | | | | | | | | |
|-------------|------|------|---|-------|-------|---|---|---|
| L320 or X46 | 0.26 | 1.40 | - | 0.030 | 0.030 | d | d | d |
| L360 or X52 | 0.26 | 1.40 | | 0.030 | 0.030 | d | d | d |
| L390 or X56 | 0.26 | 1.40 | | 0.030 | 0.030 | d | d | d |
| L415 or X60 | 0.26 | 1.40 | - | 0.030 | 0.030 | f | f | f |
| L450 or X65 | 0.26 | 1.45 | | 0.030 | 0.030 | f | f | f |
| L485 or X70 | 0.26 | 1.65 | | 0.030 | 0.030 | f | f | f |

API 5L X52 WELDED LINE PIPES PSL2 CHEMICAL COMPOSITION

| Mass Fraction, based upon heat and product analyses | | | | | | | | | | Carbon Equivalent % max | |
|-----------------------------------------------------|------|------|------|-------|-------|------|------|------|-------|-------------------------|------|
| Steel grade | C | Si | Mn | P | S | V | Nb | Ti | Other | Ce | CE |
| L245 or Bm | 0.22 | 0.45 | 1.20 | 0.025 | 0.015 | 0.05 | 0.05 | 0.04 | e,l | 0.43 | 0.25 |
| L290M or X42M | 0.22 | 0.45 | 1.30 | 0.025 | 0.015 | 0.05 | 0.05 | 0.04 | e,l | 0.43 | 0.25 |
| L320M or X46M | 0.22 | 0.45 | 1.30 | 0.025 | 0.015 | 0.05 | 0.05 | 0.04 | e,l | 0.43 | 0.25 |
| L360 or X52M | 0.22 | 0.45 | 1.40 | 0.025 | 0.015 | d | d | d | e,l | 0.43 | 0.25 |
| L390 or X56M | 0.22 | 0.45 | 1.40 | 0.025 | 0.015 | d | d | d | ,l | 0.43 | 0.25 |
| L415 or X60M | 0.12 | 0.45 | 1.60 | 0.025 | 0.015 | g | g | g | ,l | 0.43 | 0.25 |
| L450 or X65M | 0.12 | 0.45 | 1.60 | 0.025 | 0.015 | g | g | g | ,l | 0.43 | 0.25 |
| L485 or X70M | 0.12 | 0.45 | 1.60 | 0.025 | 0.015 | g | g | g | ,l | 0.43 | 0.25 |

API 5L X52 PSL2 WELDED PIPES COMPARATIVE SPECIFICATIONS

The information here is summarized from [ASTM Standards](#) and API Specification 5L. Please see the specific standards for more information.

API SPECIFICATION 5L X52 PSL 1 AND PSL 2 COMPARISON INFORMATION.

| | | | |
|----------------------------------|--------------------------------------------------------------|------------------------------------------------|--------------------------|
| GRADE RANGE | A25 THROUGH X70 | GR B THROUGH X80 | TABLE 1 |
| SIZE RANGE | 0.405 THROUGH 80 | 4-2/1 THROUGH 80 | TABLE 1 |
| TYPE OF PIPE ENDS | PLAIN-END, THREADED-END, BEVELLED-END, SPECIAL COUPLING PIPE | PLAIN-END | TABLE 1 |
| SEAM WELDING | ALL METHODS CONTINOUS WELDING LIMITED TO GRADE A25 | ALL METHODS EXCEPT CONTINOUS AND LASER WELDING | TABLE 1 |
| ELECTRIC WELDS: WELDER FREQUENCY | NO MINIMUM | 100 KHZ MINIMUM | 5.1.3.3.2 |
| HEAT TREATMENTS OF | REQUIRED FOR GRADES > X42 | REQUIRED FOR ALL GRADES (GR B | 5.1.3.3.1; J.3.3.2:6.2.7 |

| ELECTRIC WELDS | | THROUGH X80) | |
|-------------------------------------------------|--------------------------------------------------------------------|-------------------------------------------------------------------------------------------|------------------------------|
| CHEMISTRY: MAX C FOR SEAMLESS PIPE | 0.28% FOR GRADES > GR B | 0.24% | TABLES 2A, 2B |
| CHEMISTRY: MAX C FOR WELDED PIPE | 0.26% FOR GRADES > GR B | 0.22% | TABLES 2A, 2B |
| CHEMISTRY: MAX P | 0.03% | 0.03% | TABLES 2A, 2B |
| CHEMISTRY: MAX S | ONLY WHEN PURCHASES SPECIFIES SR18 | 0.02% | TABLES 2A, 2B |
| CARBON EQUIVALENT | NONE | MAXIMUM REQUIRED FOR EACH GRADE | 4.2:4.3:6.1.3: SR15.1 |
| YIELD STRENGTH, MAXIMUM | NONE | MAXIMUM FOR EACH GRADE | TABLES 3A, 3B |
| UTS, MAXIMUM | NONE REQUIRED | MAXIMUM FOR EACH GRADE | TABLES 3A, 3B |
| FRACTURE TOUGHNESS | ONLY WHEN PURCHASER SPECIFIES SR4 | REQUIRED FOR ALL GRADES | 6.2.6; 9.3.5: 9.8.4; 9.10.7; |
| NON-DESTRUCTIVE INSPECTION OF SEAMLESS PIPES | PERMITTED | SR4 MANDATORY | TABLE 14 9.7.2.6 |
| REPAIR BY WELDING OF PIPE BODY, PLATE AND SKELP | PERMITTED BY AGREEMENT | PROHIBITED | 5.3.2;9.7.6: B.1;B.2 |
| CERTIFICATION | CERTIFICATES WHEN SPECIFIED PER SR15 | PROHIBITED | 4.3;9.7.4.4;9.7.6;B.1.2;B.4 |
| TRACEABILITY | TRACEABLE ONLY UNTIL ALL TESTS ARE PASSED UNLESS SR15 IS SPECIFIED | CERTIFICATES (SR15.1) MANDATORY TRACEABLE AFTER COMPLETION OF TESTS (SR15.2) MANDATORY | 12.1 5.6 |

API 5L X52 PSL2 PIPES PRICE

| Country Name | Latest Price/ Recent Updated Price 2017-18 |
|----------------------------------------------------|--------------------------------------------|
| API 5L X52 PSL2 Pipe Price in Indonesia | US \$850 - 950 / Metric Ton |
| API 5L X52 PSL2 Pipe Price in Malaysia | US \$850 - 990 / Metric Ton |
| API 5L X52 PSL2 Pipe Price in United Arab Emirates | AED 3121.84 - 3489.11/ Metric Ton |
| API 5L X52 PSL2 Pipe Price in Singapore | US \$850 - 995 / Metric Ton |
| API 5L X52 PSL2 Pipe Price in Iran | US \$850 - 950 / Metric Ton |
| API 5L X52 PSL2 Pipe Price in South Korea | US \$850 - 1350 / Metric Ton |
| API 5L X52 PSL2 Pipe Price in Egypt | US \$850 - 1150 / Metric Ton |
| API 5L X52 PSL2 Pipe Price in Saudi Arabia | US \$850 - 950 / Metric Ton |
| API 5L X52 PSL2 Pipe Price in Kuwait | US \$850 - 950 / Metric Ton |
| API 5L X52 PSL2 Pipe Price in South Africa | US \$850 - 1100 / Metric Ton |
| API 5L X52 PSL2 Pipe Price in Qatar | US \$850 - 950 / Metric Ton |
| API 5L X52 PSL2 Pipe Price in Bahrain | BD 320-358 / Metric Ton |

| | |
|---------------------------------------|------------------------------|
| API 5L X52 PSL2 Pipe Price in Oman | US \$850 - 950 / Metric Ton |
| API 5L X52 PSL2 Pipe Price in India | INR 56988-63692/ Metric Ton |
| API 5L X52 PSL2 Pipe Price in Taiwan | US \$850 - 950 / Metric Ton |
| API 5L X52 PSL2 Pipe Price in Vietnam | US \$850 - 1250 / Metric Ton |
| API 5L X52 PSL2 Pipe Price in USA | US \$850 - 1050 / Metric Ton |

CHEMICAL REQUIREMENTS FOR API 5L X52 PSL2 STEEL PIPES

API 5L Specifications covers seamless and welded pipe suitable for use in conveying gas, water, oil, and other liquefied media. The attached requirements cover our offering of API 5L 45th Ed, PSL 1 Seamless and Welded; API 5L 45th Ed PSL 2 Seamless & Welded; and API 5L 45th Ed PSL2 Welded only.

TENSILE PROPERTIES FOR SEAMLESS AND WELDED API 5L X52 PSL2 STEEL PIPES

tensile properties data for seamless and welded API 5L steel pipe API 5L 45th Ed PSL 1, PSL 2.

TESTING REQUIREMENTS FOR SEAMLESS AND WELDED API 5L X52 PSL2 STEEL PIPES

Our API 5L Welded Pipes hydrostatic and mechanical testing information for all sizes and grades covered by the specification.

PERMISSIBLE VARIATIONS FOR SEAMLESS AND WELDED API 5L X42 PSL2 STEEL PIPES

| | Grade A, B, A25 | X42 through X80 |
|-------------------------------------------------|-----------------|-----------------|
| NPS 2 1/2 and smaller -- Seamless and welded, % | +20 -- 12.5 | +15 -- 12.5 |
| NPS 3 -- Seamless and welded, % | +18 -- 12.5 | +15 -- 12.5 |
| NPS 4 through 18 -- Seamless and welded, % | +15 -- 12.5 | +15 -- 12.5 |
| NPS 20 and larger -- Welded, % | +17.5 -- 10.0 | +19.5 -- 8.0 |
| NPS 20 and larger -- Seamless, % | +15.0 -- 12.5 | +17.5 -- 10.0 |

MARKING REQUIREMENTS

Paint-stenciled or die-stamped manufacturer's name or mark, Spec 5L, size, weight per foot, grade, process of manufacture, type of steel, length (NPS 4 and larger only). Test pressure when higher than tabulated (NPS 2 and larger only).

SUPPLEMENTAL ANNEXES FOR API 5L X52 PSL2 SEAMLESS AND WELDED STEEL PIPES

API Specification 5L contains 15 Supplemental Annexes that address special conditions and/or additional requirements.

API 5L X52 PSL2 WELDED LINE PIPE IN VARIOUS GRADES AVAILABLE IN EX-STOCK WAREHOUSE

API 5L Grade B PSL1 Sour Service Line Pipes - Available ex-stock

WE MAINLY STOCK & SUPPLY THE API-5L GRADE-B, X42, X46, X52, X56, X60, X65, X70, X80 PSL1 & PSL2 LINE PIPE WELDED PIPE OF FOLLOWING MAKE:

API 5L Pipes of Sumitomo Metal - Japan Origin

API 5L GRADE B, X42,X46,X52,X56,X56,X60,X70 CARBON STEEL WELDED PIPE SIZES AVAILABLE IN STOCK WITH PRICE

1/2" NB in Thickness Schedule 20, Sch 30, Sch STD, Sch 40, Sch 60, Sch 80, Sch 100, Sch 120, Sch 160, Sch XXS in API 5L Pipes in Grade B, X42,x46,x52,x56,x60,x70,x80 in PSL1 & PSL2 / API 5L Line Pipes

AVAILABLE GRADE OF API 5L X52 PSL2 WELDED PIPES IN CARBON STEEL IN READY STOCK -

API 5L Pipes, API 5L Seamlless Line Pipes

SUPPLYING API 5L X52 PSL2 PIPES TO COUNTRIES -

We Export API 5L X52 PSL2 Welded Pipe to Saudi Arabia, Iran, Iraq, United Arab Emirates, Qatar, Bahrain, Oman, Kuwait, Turkey, Egypt, Yemen , Syria, Israel, Jordan, Cyprus, Singapore, Malaysia, Indonesia, Thailand, Vietnam, South Korea, Japan, Sri Lanka, Maldives, Bangladesh, Mayanmar, Taiwan, Cambodia, Argentina, Bolivia, Brazil, Chile, Venezuela, Colombia, Ecuador, Guyana, Paraguay, Uruguay, United States Of America, Canada, Mexico, Panama, Costa Rica, Puerto Rica, Trinidad And Tobago, Jamaica, Bahamas, Denmark, Russia, Norway, Germany, France, Italy, United Kingdom, Spain, Ukraine, Netherland, Belgium, Greece, Czech Republic, Portugal, Hungary, Albania, Austria, Switzerland, Slovakia, Finland, Ireland, Croatia, Slovenia, Malta, Nigeria, Algeria, Angola, South Africa, Libya, Egypt, Sudan, Equatorial Guinea, The Republic Of Congo, Gabon, Europe, Africa, Asia, North America, South America, Middle East, Far East.etc

Savoy Piping Inc. is a well known worldwide exporter of API 5L X52 PSL2 Welded Pipe, Savoy Piping Inc. is committed to provide each and every customer with the highest standard of customer service. We deals in [API 5L X52 PSL2 Welded Pipes](#) in India & Overseas, offering a wide range of API 5L X52 PSL2 Welded Line Pipes

[API 5L X52 PSL2 Pipes](#), [API 5L X52 PSL2 Welded Pipes](#), [API 5L X52 PSL2 Welded Line Pipes](#), [API 5L X52 PSL2 Carbon Steel Welded Pipes](#), [API 5L X52 PSL2 LSAW Pipes](#), [X52 PSL2 DSAW Pipes](#), [X52 PSL2 HSAW Pipes](#)

Savoy Piping Inc.
Product description: Leading Supplier of API 5L X52 PSL2 Welded Pipes, Largest Stockist of API 5L X52 PSL2 Line Welded in India. Exporting API 5L X52 PSL2 Line Pipes Worldwide, source from Top Manufacturer of API 5L X52 PSL2 Welded HSAW / DSAW / HSAW Pipes with High Quality.
Manufacturer Mill Origin: India Origin, USA Origin, Japan Origin, Europe Origin, South Korea Origin, G7 Origin
Model / Size / Range: OD 3/8" NB to 30" NB, Thickness: SCH 20 to SCH XXS
Product ID: Carbon Steel Pipes, High Yield Pipes
Customer Review: 5 based on 350 reviews
Price: USD \$ 2300 New
Published on 23 September, 2016

PRODUCTS

| |
|----------------------------------|
| ◆ STAINLESS STEEL PIPES & TUBES |
| ◆ STAINLESS STEEL SEAMLESS PIPES |
| ◆ STAINLESS STEEL WELDED PIPES |
| ◆ STAINLESS STEEL SEAMLESS TUBES |
| |

| |
|----------------------------------------------------------------------------------|
| ◆ DUPLEX STAINLESS STEEL PIPES & TUBES |
| ◆ STAINLESS STEEL STEEL EFW PIPES |
| ◆ CARBON STEEL SEAMLESS PIPES & TUBES |
| ◆ CARBON STEEL EFW PIPES |
| ◆ API 5L SEAMLESS PIPES |
| ◆ ISO 3183 SEAMLESS PIPES |
| ◆ ISO 3183 WELDED SAW PIPES |
| ◆ API 5L LSAW WELDED PIPES |
| » API 5L GRADE B WELDED SAW PIPES |
| » API 5L GRADE B PSL 1 WELDED SAW PIPES |
| » API 5L GRADE B PSL 2 WELDED SAW PIPES |
| » API 5L GRADE X42 PSL 1 WELDED SAW PIPES |
| » API 5L GRADE X42 PSL 2 WELDED SAW PIPES |
| » API 5L GRADE X46 PSL 1 WELDED SAW PIPES |
| » API 5L GRADE X46 PSL 2 WELDED SAW PIPES |
| » API 5L GRADE X52 PSL 1 WELDED SAW PIPES |
| » API 5L GRADE X52 PSL 2 WELDED SAW PIPES |
| » API 5L GRADE X56 PSL 1 WELDED SAW PIPES |
| » API 5L GRADE X56 PSL 2 WELDED SAW PIPES |
| » API 5L GRADE X60 PSL 1 WELDED SAW PIPES |
| » API 5L GRADE X60 PSL 2 WELDED SAW PIPES |
| » API 5L GRADE X65 PSL 1 WELDED SAW PIPES |
| » API 5L GRADE X65 PSL 2 WELDED SAW PIPES |
| » API 5L GRADE X70 PSL 1 WELDED SAW PIPES |
| » API 5L GRADE X70 PSL 2 WELDED SAW PIPES |
| » API 5L B, X42, X46, X52, X56, X60, X65, X70 PSL1 WELDED SAW PIPES |
| » API 5L B, X42, X46, X52, X56, X60, X65, X70 PSL2 WELDED SAW PIPES |
| » API 5L B, X42, X46, X52, X56, X60, X65, X70 HIC TESTED WELDED SAW PIPES |
| » API 5L B, X42, X46, X52, X56, X60, X65, X70 SSC TESTED WELDED SAW PIPES |
| » API 5L B, X42, X46, X52, X56, X60, X65, X70 PSL2 SOUR SERVICE WELDED SAW PIPES |
| ◆ ALLOY STEEL SEAMLESS PIPES & TUBES |
| ◆ CHROME MOLY ALLOY SEAMLESS PIPES & TUBES |
| ◆ ALLOY STEEL EFW PIPES |
| ◆ INCONEL PIPES & TUBES |
| ◆ INCOLOY PIPES & TUBES |
| |

◆ MONEL 400 PIPES & TUBES

◆ HASTELLOY PIPES & TUBES

◆ TITANIUM ALLOY PIPES & TUBES

◆ COPPER AND CUPRO NICKEL PIPES & TUBES

Savoy Piping Inc.
Address : Rajgiri Apartment, A Wing, 3rd Floor, 302, 13th Khetwadi Back Road, Khemraj Krishnadas Marg, Mumbai- 400004
Maharashtra - India.
Tel : +91-022-2387 1062
Website : www.savoypipinginc.com
Email : sales@savoypipinginc.com

We Supply Pipes and Tubes to Worlwide Network
Countries: Afghanistan

Cities: Mumbai

If you're looking for a Trusted & Most Reliable Supplier of API 5L X52 PSL2 Welded Pipes then Call us
on +91 022-2387 1062
or Email us: sales@savoypipinginc.com for a Competitive Quotation & Best Discounted Offers

STAINLESS STEEL & DUPLEX PIPES & TUBES

- ❑ Stainless Steel Pipes & Tubes
- ❑ Stainless Steel Seamless Pipes
- ❑ Stainless Steel Welded Pipes

- ❑ Stainless Steel Seamless Tubing
- ❑ 304 Stainless Steel Pipes & Tubes
- ❑ 304L Stainless Steel Pipes & Tubes
- ❑ 304H Stainless Steel Pipes & Tubes
- ❑ 310s Stainless Steel Pipes & Tubes
- ❑ 316 Stainless Steel Pipes & Tubes
- ❑ 316L Stainless Steel Pipes & Tubes
- ❑ 317L Stainless Steel Pipes & Tubes
- ❑ 321 Stainless Steel Pipes & Tubes
- ❑ 347 Stainless Steel Pipes & Tubes
- ❑ 904L Stainless Steel Pipes & Tubes
- ❑ ASTM A312 Stainless Steel Pipes
- ❑ ASTM A269 Stainless Steel Pipes
- ❑ ASTM A213 Stainless Steel Pipes
 - ❑ ASTM A358 TP304 EFW Pipes
 - ❑ ASTM A358 TP310S EFW Pipes
 - ❑ ASTM A358 TP316L EFW Pipes
- ❑ ASTM A358 Stainless Steel EFW Pipes
 - ❑ Duplex Stainless Steel Pipes
 - ❑ UNS 31803 2205 Duplex Pipes
 - ❑ UNS 32205 2507 Duplex Pipes
 - ❑ UNS 32750 Super Duplex Pipes
 - ❑ UNS 32760 Super Duplex Pipes
 - ❑ Stainless Steel Surgical Tubes
- ❑ Stainless Steel Instrumentation Tubes

CARBON STEEL TUBES AND API 5L PIPES

- ❑ Carbon Steel Seamless Pipes
 - ❑ ASTM A53 Grade B Seamless Line Pipes
 - ❑ ASTM A106 Grade B Seamless Line Pipes
 - ❑ ASTM A106 Grade C Seamless Line Pipes
- ❑ ASTM A333 Grade 6 Low Temperature Pipes
- ❑ ASTM A334 Grade 6 Low Temperature Tubes
- ❑ API 5L X42 PSL1 / PSL2 Seamless Line Pipes
- ❑ API 5L X46 PSL1 / PSL2 Seamless Line Pipes
- ❑ API 5L X52 PSL1 / PSL2 Seamless Line Pipes
- ❑ API 5L X56 PSL1 / PSL2 Seamless Line Pipes
- ❑ API 5L X60 PSL1 / PSL2 Seamless Line Pipes

- ❑ API 5L X65 PSL1 / PSL2 Seamless Line Pipes
- ❑ API 5L X42 PSL1 / PSL2 LSAW Welded Line Pipes
- ❑ API 5L X46 PSL1 / PSL2 LSAW Welded Line Pipes
- ❑ API 5L X52 PSL1 / PSL2 LSAW Welded Line Pipes
- ❑ API 5L X56 PSL1 / PSL2 LSAW Welded Line Pipes
- ❑ API 5L X60 PSL1 / PSL2 LSAW Welded Line Pipes
- ❑ API 5L X65 PSL1 / PSL2 LSAW Welded Line Pipes
- ❑ API 5L Grade B,X52,X60,X65 HIC Tested Pipes
- ❑ API 5L Grade B,X52,X60,X65 SSC Tested Pipes
 - ❑ A671 CC60 LSAW Welded Pipes
 - ❑ A671 CC65 LSAW Welded Pipes
 - ❑ A671 CC70 LSAW Welded Pipes
- ❑ A672 B60,B65,B70 LSAW Welded Pipes
 - ❑ ASTM A179 Seamless Tubes
 - ❑ ASTM A192 Seamless Tubes
 - ❑ ASTM A210 A1 Seamless Tubes
 - ❑ Sour Service Carbon Steel Pipes



CHROME MOLY ALLOY STEEL PIPES & TUBES

- ❑ Alloy Steel Pipes and Tubes
- ❑ Chrome Moly Pipes and Tubes
 - ❑ A335 P5 Chrome Moly Pipes and Tubes
 - ❑ A335 P9 Chrome Moly Pipes and Tubes
 - ❑ A335 P11 Chrome Moly Pipes and Tubes
 - ❑ A335 P22 Chrome Moly Pipes and Tubes
 - ❑ A335 P91 Chrome Moly Pipes and Tubes
 - ❑ ASTM A335 P5 Alloy Steel Seamless Pipes
 - ❑ ASTM A335 P9 Alloy Steel Seamless Pipes
 - ❑ ASTM A335 P11 Alloy Steel Seamless Pipes
 - ❑ ASTM A335 P22 Alloy Steel Seamless Pipes
 - ❑ ASTM A335 P91 Alloy Steel Seamless Pipes
 - ❑ ASTM A213 T5 Alloy Steel Seamless Tubes
 - ❑ ASTM A213 T9 Alloy Steel Seamless Tubes
 - ❑ ASTM A213 T11 Alloy Steel Seamless Tubes
 - ❑ ASTM A213 T22 Alloy Steel Seamless Tubes
 - ❑ ASTM A213 T91 Alloy Steel Seamless Tubes
 - ❑ ASTM A691 1-1/4CR Alloy Steel EFW Pipes
 - ❑ ASTM A691 2-1/4CR Alloy Steel EFW Pipes



HIGH NICKEL ALLOYS PIPES & TUBES

- ☐ ASTM A691 5CR Alloy Steel EFW Pipes
 - ☐ ASTM A691 9CR Alloy Steel EFW Pipes
 - ☐ ASTM A691 91 Alloy Steel EFW Pipes
 - ☐ ASTM A692 Alloy Steel EFW Welded Pipes
 - ☐ ASME SA335 Alloy Steel Seamless Pipes
 - ☐ ASME SA213 Alloy Steel Seamless Tubes
 - ☐ ASME SA691 Alloy Steel EFW Pipes
 - ☐ ASME SA335 P22 Alloy Steel Seamless Pipes
 - ☐ ASME SA335 P91 Alloy Steel Seamless Pipes
-
- ☐ Inconel® Alloy 600 Seamless Pipes & Tubes
 - ☐ Inconel® Alloy 601 Seamless Pipes & Tubes
 - ☐ Inconel® Alloy 625 Seamless Pipes & Tubes
 - ☐ Incoloy® Alloy 800 Seamless Pipes & Tubes
 - ☐ Incoloy® Alloy 800H Seamless Pipes & Tubes
 - ☐ Incoloy® Alloy 800HT Seamless Pipes & Tubes
 - ☐ Incoloy® Alloy 825 Seamless Pipes & Tubes
 - ☐ Monel® Alloy 400 Seamless Pipes & Tubes
 - ☐ Hastelloy® Alloy C22 Seamless Pipes & Tubes
 - ☐ Hastelloy® Alloy C276 Seamless Pipes & Tubes
 - ☐ Inconel® Alloy 600 Seamless Tubes
 - ☐ Inconel® Alloy 601 Seamless Tubes
 - ☐ Inconel® Alloy 625 Seamless Tubes
 - ☐ Incoloy® Alloy 800 Seamless Tubes
 - ☐ Incoloy® Alloy 800H Seamless Tubes
 - ☐ Incoloy® Alloy 800HT Seamless Tubes
 - ☐ Incoloy® Alloy 825 Seamless Tubes
 - ☐ Monel® Alloy 400 Seamless Tubes
 - ☐ Hastelloy® Alloy C22 Seamless Tubes
 - ☐ Hastelloy® Alloy C276 Seamless Tubes
 - ☐ Titanium Grade 2 Pipes & Tubes
 - ☐ Titanium Grade 5 Pipes & Tubes
 - ☐ Titanium Grade 7 Pipes & Tubes
 - ☐ UNS C71500 Copper Nickel Tubes
 - ☐ UNS C70600 Copper Nickel Tubes
 - ☐ ASTM B466 C71500 Copper Nickel Pipes & Tubes
 - ☐ ASTM B466 C70600 Copper Nickel Pipes & Tubes

☐ [Copper Pipes & Tubes](#)



Supplying Steel Pipes and Tubes Approved by ONGC, RELIANCE, RIL, BPCL, HPCL, BHEL, CAIRN ENERGY, NAGARJUNA CORPORATION, KNPC, INOC, SAUDI ARAMCO, SABIC, SOCAR, RASGAS, QATAR PETROLEUM, PEMEX, GASCO, ADOS, BP, BRITISH PETROLEUM, POGC, PDO, SHELL, EXXONMOBIL, PETRONAS, PETROBRAS, KOC, OXY, SINOPEC, TOTAL SA, CHEVRON, PDVSA, PTT, CONOCO PHILLIPS, STATOIL ASA, ROYAL DUTCH SHELL, LUKOIL, SUNCOR ENERGY, NNPC, DOOSAN, CNPC, PERTAMINA, ARMO, GS CALTEX, S-OIL, SK ENERGY, PETROTRIN etc

Leading Exporter of Steel Pipes & Tubes to Saudi Arabia, Iran, Kuwait, Iraq, Oman, Qatar, Azerbaijan, United Arab Emirates, Bahrain, Turkey, Jordan, Indonesia, Singapore, Malaysia, Vietnam, Philippines, Thailand, South Korea, Laos, Cambodia, Japan, Nigeria, Algeria, Angola, Libya, Gabon, Egypt, South Africa, The Republic of Congo, Equatorial Guinea, Sudan, Kenya, Tanzania, Trinidad and Tobago, Brazil, Mexico, Venezuela, Cambodia, Chile, Peru, United States of America, Canada, Netherlands, Spain, United Kingdom, Germany, Italy, Albania, France, Russia, Ukraine, Hungary, Norway, Poland, Bangladesh, Sri Lanka, Maldives, Australia, New Zealand etc

[BLOG](#) | [TERMS AND CONDITIONS](#) | [COPYRIGHT AND TRADEMARK](#) | [DOWNLOADS](#)

[API 5L Grade B, X42, X46, X52, X56, X60, X65, X70 Pipes Supplier to Singapore](#) | [Malaysia](#) | [Indonesia](#) | [Saudi Arabia](#) | [Iran](#) | [Kuwait](#) | [Iraq](#) | [Bahrain](#) | [Oman](#) | [United Arab Emirates](#) | [Azerbaijan](#) | [Egypt](#) | [Qatar](#) | [Netherlands](#) | [Norway](#) | [Nigeria](#) | [South Africa](#) | [United States of America](#)

Copyright © 2016-2019 Savoy Piping Inc. All Rights Reserved.